



SUPPLIERS

50Hz Solutions 61 2 9439 0041	ABB Australia 1300 782 527	Alstom Grid 1300 ALSTOM	Ampcontrol 61 2 4961 9000	Arthur D. Riley 64 4 472 7614	Chase Power 61 7 3822 8000	China Electric Equip 61 8 9367 5900	Delstar NZ 64 9835 3400	EMC Pacific 61 3 9706 6643	ETEL Ltd 64 9 820 6110	ETEL Transformers 61 3 9310 5186	Excess Power Equip. 61 8 9493 3077	GE 61 8 9264 0068	Pacific Test Equipment 61 2 9659 2300	Performed Line Products 61 2 8805 0000	Quasar Systems 64 3 343 9150	SATEC (Australia) 61 2 4774 2959	Schneider Electric 1300 369 233	TE Connectivity Crompton 1300 656 090	TWS Energy Controls 1800 124 747	Tyree Industries 61 2 4872 6177	Wilson Transformer Co 61 3 9560 0411
-------------------------------	----------------------------	-------------------------	---------------------------	-------------------------------	----------------------------	-------------------------------------	-------------------------	----------------------------	------------------------	----------------------------------	------------------------------------	-------------------	---------------------------------------	--	------------------------------	----------------------------------	---------------------------------	---------------------------------------	----------------------------------	---------------------------------	--------------------------------------

PRODUCTS/SERVICES

	50Hz Solutions 61 2 9439 0041	ABB Australia 1300 782 527	Alstom Grid 1300 ALSTOM	Ampcontrol 61 2 4961 9000	Arthur D. Riley 64 4 472 7614	Chase Power 61 7 3822 8000	China Electric Equip 61 8 9367 5900	Delstar NZ 64 9835 3400	EMC Pacific 61 3 9706 6643	ETEL Ltd 64 9 820 6110	ETEL Transformers 61 3 9310 5186	Excess Power Equip. 61 8 9493 3077	GE 61 8 9264 0068	Pacific Test Equipment 61 2 9659 2300	Performed Line Products 61 2 8805 0000	Quasar Systems 64 3 343 9150	SATEC (Australia) 61 2 4774 2959	Schneider Electric 1300 369 233	TE Connectivity Crompton 1300 656 090	TWS Energy Controls 1800 124 747	Tyree Industries 61 2 4872 6177	Wilson Transformer Co 61 3 9560 0411
Auto		✓	✓		✓	✓		✓				✓	✓					✓			✓	✓
Epoxy Resin Encapsulated		✓	✓		✓	✓		✓					✓					✓				
Three Phase to 24kV to 4MVA		✓	✓		✓	✓		✓					✓					✓				
Three Phase to 36kV to 20MVA		✓	✓		✓	✓		✓					✓					✓				
Oil Immersed		✓	✓	✓	✓			✓		✓	✓	✓	✓					✓			✓	✓
Single Phase to 33kV		✓	✓		✓			✓		✓	✓	✓	✓		✓						✓	✓
10kVA to 500kVA		✓			✓			✓		✓	✓	✓	✓		✓						✓	✓
Three Phase to 36kV			✓	✓	✓			✓		✓	✓	✓	✓		✓			✓			✓	✓
up to 20 MVA		✓	✓	✓	✓			✓		✓	✓	✓	✓		✓						✓	✓
Three Phase to 66kV			✓	✓	✓			✓		✓	✓	✓	✓								✓	✓
up to 20 MVA		✓	✓	✓	✓			✓		✓	✓	✓	✓								✓	✓
Three Phase to 220kV			✓		✓			✓				✓	✓									✓
up to 200 MVA		✓	✓		✓			✓				✓	✓									✓
Three Phase to 500kV			✓		✓							✓	✓									
up to 1000 MVA		✓	✓		✓							✓	✓									
Auxiliary			✓		✓	✓		✓				✓	✓					✓	✓	✓		
CTs & VTs	✓		✓		✓	✓	✓	✓				✓	✓					✓	✓	✓		
Combined CT and VT					✓	✓	✓					✓	✓						✓			
<100kV							✓					✓	✓									
100kV - 150kV							✓					✓	✓									
Polymer Insulated 72-550kV							✓					✓	✓									
Toroidal/Conventional			✓				✓	✓				✓	✓					✓		✓		
Discharge Voltage							✓	✓				✓	✓									
Outdoor CT for Unbalanced Protection	✓		✓			✓	✓					✓	✓					✓				
Constant Voltage		✓	✓	✓	✓	✓						✓	✓					✓				✓
Epoxy Resin Encapsulated		✓	✓		✓	✓						✓	✓					✓				
Three Phase to 24kV to 4MVA		✓	✓		✓	✓						✓	✓					✓				
Three Phase to 36kV to 20MVA		✓	✓		✓	✓						✓	✓					✓				
Oil Immersed		✓	✓	✓	✓							✓	✓					✓				✓
Single Phase to 33kV					✓							✓	✓									
10kVA to 500kVA		✓	✓		✓							✓	✓					✓				✓
Three Phase to 36kV			✓	✓	✓							✓	✓					✓				✓
up to 20MVA		✓	✓	✓	✓							✓	✓					✓				✓
Three Phase to 66kV			✓	✓	✓							✓	✓									✓
up to 20MVA		✓	✓	✓	✓							✓	✓									✓
Three Phase to 330kV			✓		✓							✓	✓									✓
up to 250 MVA		✓	✓		✓							✓	✓									✓
Custom Moulding					✓			✓	✓				✓									
Cycloaliphatic Epoxy Resin					✓			✓	✓				✓									
Distribution - Pole and Ground		✓	✓	✓		✓		✓		✓	✓	✓	✓		✓			✓		✓	✓	✓
Amorphous Metal Distribution		✓					✓					✓	✓		✓						✓	
Epoxy Resin Encapsulated	✓	✓	✓			✓	✓	✓				✓	✓		✓			✓				
Three Phase to 24kV	✓	✓				✓	✓	✓				✓	✓		✓			✓				
up to 4000kVA		✓				✓	✓					✓	✓		✓			✓				
Three Phase to 36kV	✓		✓				✓					✓	✓		✓			✓				
up to 5MVA	✓	✓				✓	✓					✓	✓		✓			✓				
up to 20MVA	✓	✓	✓			✓	✓					✓	✓		✓			✓				
Oil Immersed		✓	✓	✓	✓					✓	✓	✓	✓					✓			✓	✓
Single Phase to 33kV							✓			✓	✓	✓	✓								✓	✓
10kVA to 200kVA		✓					✓			✓	✓	✓	✓		✓						✓	✓
10kVA to 500kVA		✓					✓			✓	✓	✓	✓		✓						✓	✓
Three Phase to 36kV			✓	✓	✓		✓			✓	✓	✓	✓		✓			✓		✓	✓	✓
Up to 5MVA		✓					✓			✓	✓	✓	✓		✓			✓			✓	✓
Up to 20MVA		✓	✓	✓	✓		✓			✓	✓	✓	✓		✓			✓			✓	✓
Three Phase to 66kV		✓	✓	✓	✓		✓			✓	✓	✓	✓		✓						✓	✓
up to 20MVA		✓	✓	✓	✓		✓			✓	✓	✓	✓		✓						✓	✓
Three Phase up to 500kVA			✓				✓					✓	✓		✓						✓	✓



SUPPLIERS

50Hz Solutions 61 2 9439 0041	ABB Australia 1300 782 527	Alstom Grid 1300 ALSTOM	Ampcontrol 61 2 4961 9000	Arthur D. Riley 64 4 472 7614	Chase Power 61 7 3822 8000	China Electric Equip 61 8 9367 5900	Delstar NZ 64 9835 3400	EMC Pacific 61 3 9706 6643	ETEL Ltd 64 9 820 6110	ETEL Transformers 61 3 9310 5186	Excess Power Equip. 61 8 9493 3077	GE 61 8 9264 0068	Pacific Test Equipment 61 2 9659 2300	Performed Line Products 61 2 8805 0000	Quasar Systems 64 3 343 9150	SATEC (Australia) 61 2 4774 2959	Schneider Electric 1300 369 233	TE Connectivity Crompton 1300 656 090	TWS Energy Controls 1800 124 747	Tyree Industries 61 2 4872 6177	Wilson Transformer Co 61 3 9560 0411
-------------------------------	----------------------------	-------------------------	---------------------------	-------------------------------	----------------------------	-------------------------------------	-------------------------	----------------------------	------------------------	----------------------------------	------------------------------------	-------------------	---------------------------------------	--	------------------------------	----------------------------------	---------------------------------	---------------------------------------	----------------------------------	---------------------------------	--------------------------------------

PRODUCTS/SERVICES

Low Loss	✓	✓			✓		✓				✓	✓					✓				
Epoxy Resin Encapsulated	✓	✓			✓		✓				✓	✓					✓				
Three Phase to 24kV		✓					✓				✓	✓					✓				
up to 4000kVA		✓					✓				✓	✓					✓				
Three Phase to 36kV		✓					✓				✓	✓									
up to 20MVA		✓					✓				✓	✓									
Phase Shifting	✓	✓			✓						✓	✓								✓	✓
Epoxy Resin Encapsulated	✓	✓			✓						✓	✓									
Three Phase up to 36kV		✓									✓	✓									
100kVA to 20MVA		✓			✓						✓	✓									✓
Oil Immersed	✓	✓									✓	✓								✓	✓
Three Phase to 4MVA		✓									✓	✓								✓	✓
up to 15MVA		✓									✓	✓								✓	
up to 600MVA		✓									✓	✓									
above 600MVA		✓									✓	✓									
Portable		✓	✓		✓							✓		✓						✓	✓
up to 66kV		✓	✓		✓							✓		✓						✓	✓
up to 20MVA		✓	✓		✓							✓		✓						✓	✓
Power Transformers	✓	✓	✓	✓	✓		✓				✓	✓					✓			✓	✓
Oil Immersed	✓	✓	✓	✓	✓	✓	✓				✓	✓					✓			✓	✓
Single Phase up to 33kV		✓	✓	✓	✓	✓	✓				✓	✓								✓	✓
up to 20MVA		✓	✓	✓	✓	✓	✓				✓	✓								✓	✓
above 20MVA		✓	✓	✓	✓	✓	✓				✓	✓								✓	✓
Three Phase		✓	✓	✓	✓	✓	✓				✓	✓								✓	✓
up to 36kV to 50 MVA		✓	✓	✓	✓	✓	✓				✓	✓					✓			✓	✓
up to 66kV to 80 MVA		✓	✓	✓	✓	✓	✓				✓	✓					✓			✓	✓
up to 245kV		✓	✓		✓	✓	✓				✓	✓								✓	✓
up to 362kV		✓	✓		✓	✓	✓				✓	✓								✓	✓
up to 550kV		✓	✓		✓	✓	✓				✓	✓									
up to 100MVA		✓	✓		✓	✓	✓				✓	✓								✓	✓
up to 240MVA		✓	✓		✓	✓	✓				✓	✓								✓	✓
up to 600MVA		✓	✓		✓	✓	✓				✓	✓									
above 600MVA		✓	✓				✓				✓	✓									
Step Down & Rectifier	✓	✓	✓		✓						✓	✓								✓	✓
Electrochemical			✓	✓		✓						✓									✓
Epoxy Resin Encapsulated	✓	✓	✓		✓	✓	✓				✓	✓								✓	✓
Three Phase to 36kV 20MVA	✓	✓	✓		✓	✓	✓				✓	✓								✓	✓
Oil Immersed	✓	✓	✓			✓	✓				✓	✓								✓	✓
Three Phase to 36kV 20MVA	✓	✓	✓			✓	✓				✓	✓								✓	✓
Up to 1600V @ 350kA			✓	✓		✓					✓	✓									✓
Traction Substation			✓	✓							✓	✓									✓
Special Design	✓	✓	✓		✓						✓	✓	✓							✓	✓
Burden Boxes CT & VT					✓						✓	✓									
Epoxy Resin Encapsulated	✓	✓	✓		✓	✓					✓	✓								✓	✓
Three Phase to 36kV 20MVA	✓	✓	✓		✓	✓					✓	✓								✓	✓
High Accuracy Test CTs					✓						✓	✓	✓							✓	
Variable				✓							✓	✓	✓								
Single Phase & Three Phase											✓	✓	✓								
2 to 28 Amp Air Cooled											✓	✓	✓								
40 to 1600 Amp Oil Cooled				✓							✓	✓	✓								
VPI Dry Type					✓						✓	✓									✓
Single Phase to 12kV to 1MVA					✓						✓	✓									✓
Three Phase to 12kV to 2MVA					✓						✓	✓									✓